

---

# 2000 Beech B36TC Bonanza TurbineAir

---



## Wolfe Aviation

*Business Aircraft Acquisitions, Appraisals, Sales and Service*

**Verlyn Wolfe**  
**Wolfe Aviation**

Stockton Metropolitan Airport (KSCK)  
2050 East Sikorsky Street, Hangar 7  
Stockton, California 95206

P.O. Box 31592, Stockton, California 95213-1592

Telephone: (209) 983-0117 Ext. 233

Fax: (209) 982-5916

Cellular: (209) 607-9804

Email: [sales@wolfeaviation.com](mailto:sales@wolfeaviation.com)

Wolfe Aviation believes the following information to be accurate but does not warrant nor guarantee the information accordingly; purchasers should rely upon their own inspection of the aircraft. There shall be no agreement between parties unless set forth in a written contract signed by buyer and seller.

---

## DETAILS:

- Registration: N307M
- Serial Number: EA-650
- Airframe Time: 968 Hours Total Time Since New
- Engine: Pratt & Whitney Canada PT6A-21, 500 SHP  
3,600 Hours TBO  
597 Hours Since Factory New, Manufactured 06/07/2002  
Active Trend Monitoring  
No Hot Section Inspection Required per Pratt & Whitney SB
- Propeller: Hartzell HC-E4N-3N/D8292B Four Blade Electric Deice  
Full Feathering, Reversible  
4,000 Hours TBO  
597 Hours Since Factory New, Manufactured 11/05/2002
- Inspection: Annual Inspection Due 09/01/2012  
IFR Recertification Due 07/01/2012  
ELT Battery Replacement Due 07/2012  
Oxygen Bottles Hydrostatic Test Due 03/2013
- Damage History: No Damage History
- Records: Complete Logbooks
- Price: \$688,000 USD
- Home Base: Cable Airport (CCB), Upland, California

## AVIONICS:

- Audio Panel: Bendix/King KMA 28 TSO Audio Panel with 3LMB
- Nav/Com #1: Garmin GNS 480 WAAS GPS/Nav/Com
- Nav/Com #2: Bendix/King KX 155A TSO Nav/Com
- VOR/LOC/GS: Bendix/King KI 204 VOR/LOC/GS Indicator
- GPS: Garmin GNS 480 WAAS GPS/Nav/Com
- MFD: Garmin MX 20 Multi-Function Display  
Displays Terrain, Traffic, Weather and Lightning
- Compass Sys: Bendix/King KCS 55A Compass System  
Bendix/King KI 525A HSI  
Bendix/King KI 256 Flight Command Indicator  
Bendix/King KA 51B Slaving Accessory
- Autopilot/FD: Bendix/King KFC 225 Automatic Flight Control System  
Three-Axis Autopilot with Altitude Preselect, Alerting, and GPS Steering  
Fully Coupled WAAS Precision Approach  
Yaw Damper
- Annunciator: Bendix/King KA 285A Remote Mode Annunciator
- DME: Bendix/King KN 63 Remote DME with KDI 572 Indicator
- ADF: Bendix/King KR 87 ADF with KI 227 Indicator
- Alt. Encoder: Bendix/King KEA 130A Encoding Altimeter
- TCAD: B.F. Goodrich SKYWATCH SKY497 Traffic Advisory System  
With Display Unit
- ADC: Shadin ADC 200 Fuel Airdata Computer with Digital Fuel Flow Indication
- Datalink: WSI InFlight AV-300 Satellite Datalink Receiver  
Coupled to Garmin MX 20 Multi-Function Display

- 
- Radar: XM/Sirius Satellite Weather Radar
  - Stormscope: B.F. Goodrich WX-500 Stormscope Series II Weather Mapping Sensor
  - Transponder: Bendix/King KT76C Mode C Transponder
  - Trend Monitor: Shadin Engine Trend Monitor and Data Key Port
  - ICS: Six Place Hardwired BOSE Stereo Intercom Ports  
Six Place Standard Stereo Intercom Ports
  - Chronometer: Beechcraft Pilot Yoke Chronometer
  - ELT: Artex G406-4 406 MHz ELT with Instrument Panel Switch
  - AC Inverter: Mid-Continent Instruments MD26-28 AC Inverter
  - Pulse Oximeter: Pilot and Copilot Blood Oxygen Percentage and Pulse Rate Monitor
  - Pilot Yoke Autopilot Disconnect, Electric Trim, Ident, Other Selection and PTT Switches
  - Copilot Yoke PTT and Map Light Switches
  - Hobbs Hour Meter

### **ADDITIONAL FEATURES:**

- Air Conditioning and Climate Control System
- Overhaul Exchange Landing Gear Motor Installed 06/01/2008
- Battery Vent Outlets Modified 04/21/2007 on STC SA01156SE
- Primary Vacuum Pump Replaced 02/23/2007
- Autopilot Pitch Servo Replaced 10/18/2006
- Bob Fields Electrically Inflatable Door Seals Installed 10/10/2003 on STC SA4180WE
- Whelen HRCFA Anticollision Strobe Installed 08/12/2003 on STC SA615EA
- Alpine Aviation Inc. Main Landing Gear Lights Installed 06/12/2003 on STC SA00469NY
- Rocket Engineering Corp. TurbineAir Installed 05/28/2003 on STC SA01156SE
- G&D Aero Products Inc. Thermal Tinted Acrylic Window Pane Inserts Installed 12/15/2000 on STC SA3759NM
- Rosen Sun Visors
- Two Oxygen Bottles 98 cubic ft.
- Six Built-In Oxygen Ports
- Cabin Halon Fire Extinguisher
- Wingtip and Tail Strobe Lights
- Standby Vacuum
- Standby Generator
- Emergency Static Air Source
- Cleveland Wheels and Brakes
- Parking Brake
- Courtesy and Step Lights with Timer

### **EXTERIOR:**

- Original Exterior
- Matterhorn White (K8042W) with Vendetta Red (97U-4392), Charcoal (97U-4385) and Aristo Blue (97U-4388) Accents and Striping
- Condition 7 (National Aircraft Appraisers Association Exterior Rating Guide)

---

## **INTERIOR:**

- Original Interior
- Light Gray Suede Leather Headliner
- Silver Gray Window Trim with Patterned Fabric Trim Inserts
- Burlwood Trim over Pewter Leather Side Panels with Silver Gray Trim
- Pilot and Copilot Pewter Leather Seats with Gray Sheepskin Covers, Headrests, Lap Belts, Shoulder Harnesses and Stowable Center Armrest
- Four Place Pewter Leather Club Seating Configuration with Headrests, Lap Belts and Shoulder Harnesses, Aft Facing Seats with Stowable Center Armrest
- Burlwood Executive Table with Leather Writing Pad
- Overhead Lighting at All Seats and Writing Table
- Air Conditioning Vents at All Seats
- Aft Cabin Baggage Area with Cargo Net, Cargo Straps and Clothes Hanger
- 100% Wool Charcoal Floor Carpeting
- Condition 7 (National Aircraft Appraisers Association Interior Rating Guide)

## **FINANCE OPTION:**

- Monthly Payment of \$4,594.16
- 15 Year Term, Fully Amortized, No Prepayment Penalty
- 15% Down Payment
- 4.9% Fixed Rate

## **SPECIFICATIONS:**

- Wingspan: 37' 10"
- Length: 29' 7"
- Height: 8' 7"
- Max Takeoff: 4,021 lbs.
- Useful Load: 986.15 lbs. Actual
- Fuel Capacity: 133 gals Extended Range Tanks (124 gals Usable)